

Author Index

- | | | |
|----------------------------|------------------------------|-------------------------|
| Addo-Yobo, F. Y. A. A., B9 | Lee, A. K. K., 169 | Rod, B., 69 |
| Akiyama, T., 125 | Ljungström, E. B., 139 | Romero, A., 47 |
| Al-Jarallah, A. M., 169 | | Roy, D., B37 |
| Asai, S., 185 | McKay, G., 87 | Ruggeri, B., B17 |
| | Maruta, K., 185 | |
| Barreto, G. F., 147 | Masai, M., 157 | Sassi, G., B17 |
| Bloemendal, M., 63 | Mišek, T., 1, 11, 69, 79 | Saunders, R., 129 |
| Bruno, S. P., 147 | Mitsumori, S., 125 | Sawant, S. B., B1 |
| | Moniuk, W., 27, 37 | Saxena, S. C., 133 |
| Chisti, Y., B31 | Moo-Young, M., B31 | Shaikh, A. A., 191 |
| Cooper, D. A., 139 | | Siddiqui, M. A. B., 169 |
| Cremades, L., 17 | Nilavalagan, S., 97 | Sikdar, S. K., B1 |
| | Nishiyama, S., 157 | Singhal, N., B37 |
| García-Ochoa, F., 47 | | Slater, N. K. H., B9 |
| Gianetto, A., B17 | Patil, T. A., B1 | Somsen, G., 63 |
| Gonzalez, M. G., 147 | Penlidis, A., 175 | Specchia, V., B17 |
| | Pibouleau, L., 17 | Stangl, D., 79 |
| Haman, J., 1, 11, 69, 79 | Pohorecki, R., 27, 37 | |
| Hamdane, M., B25 | Ponnuswamy, S. R., 175 | Tanigawa, M., 157 |
| Hatanaka, J., 185 | | Tsuruya, S., 157 |
| | Querol, J., 47 | |
| Joshi, J. B., 111, B1 | | Vadivel, R., 133 |
| | Radhakrishna, H. C., 97 | Varma, A., 191 |
| Kataoka, T., 55 | Raghav Rao, K. S. M. S., 111 | |
| Kenney, C. N., B9 | Ravindran, M., 97 | Wilhelm, A. M., B25 |
| Kiparissides, C., 175 | Riba, J. P., B25 | |
| Koehret, B., 17 | | Yoshida, H., 55 |



Subject Index

Absorption

- plate efficiency in the process of absorption with chemical reaction — experiments and example calculations, 37
- plate efficiency in the process of absorption with chemical reaction — general relations, 27

Activated carbon

- fluidized bed adsorption of pollutants onto activated carbon, 87

Adsorption

- fluidized bed adsorption of pollutants onto activated carbon, 87

Agitated systems

- gas holdup behaviour in fermentation broths and other non-newtonian fluids in pneumatically agitated reactors, B31
- liquid-phase mixing and power consumption in mechanically agitated solid-liquid contractors, 111

Alkali metals

- solvent extraction of alkali metals by crown ethers, 157

Alkanols

- enthalpic second virial coefficients and enthalpies of solution of alkanols as solutes in alkanols as solvents, 63

Amberlite XAD-2

- measurement of heat of adsorption of amino acids on amberlite XAD-2 by an HPLC technique, B9

Amino acids

- measurement of heat of adsorption of amino acids on amberlite XAD-2 by an HPLC technique, B9

Biokinetic parameters

- numerical estimation of biokinetic parameters, B17

Bubble column reactors

- on steady state multiplicity in bubble column reactors, 191

Catalysts

- effect of geometric characteristics of commercial catalysts for steam reforming, 147

Channel stream

- fluid mixing between channel stream and trough in which a density interface exists, 125

Concentration profiles

- intraparticle ion-exchange mass transfer in ternary systems: theoretical analysis of concentration profiles, 55

Contaminated drop

- terminal velocity of a contaminated drop at low Reynolds numbers, 185

Contractors

- liquid-phase mixing and power consumption in mechanically agitated solid-liquid contractors, 111
- Crown ethers
 - solvent extraction of alkali metals by crown ethers, 157

Degradation

- modeling kinetics of 2,4-D degradation by two new *Pseudomonas* isolates, B37

Density interface

- fluid mixing between channel stream and trough in which a density interface exists, 125

Discontinuous functions

- fitting of discontinuous functions for chemical engineering applications, 17

Enzyme reactors

- modelling of a fluidized bed immobilized enzyme reactor. Application to the hydrolysis of maltodextrins, B25

Ethers

- kinetics of methyl tertiary butyl ether synthesis catalyzed by sulphuric acid, 169

Extractor performance

- analysis of extractor performance. I. Longitudinal mixing in a single-phase system, 1
- analysis of extractor performance. II. Longitudinal mixing of the continuous liquid in the two-phase system, 11
- analysis of extractor performance. III. Longitudinal mixing in the dispersed phase, 69
- analysis of extractor performance. IV. Mass transfer, 79

Fermentation

- gas holdup behaviour in fermentation broths and other non-newtonian fluids in pneumatically agitated reactors, B31

Finite-difference method

- analysis of mixing characteristics of flow in a jet pump using a finite-difference method, 97

Flow

- analysis of mixing characteristics of flow in a jet pump using a finite-difference method, 97

Fluidized bed

- fluidized bed adsorption of pollutants onto activated carbon, 87
- in-bed gas measurements in a commercial 16 MW fluidized bed combustor, 139
- modelling of a fluidized bed immobilized enzyme

- reactor. Application to the hydrolysis of maltodextrins, B25
- Fluidized beds
 - wall effects in gas-fluidized beds at incipient fluidization, 133
- Gas holdup
 - gas holdup behaviour in fermentation broths and other non-newtonian fluids in pneumatically agitated reactors, B31
- Geometric characteristics
 - effect of geometric characteristics of commercial catalysts for steam reforming, 147
- Heats of adsorption
 - measurement of heat of adsorption of amino acids on amberlite XAD-2 by an HPLC technique, B9
- HPLC
 - measurement of heat of adsorption of amino acids on amberlite XAD-2 by an HPLC technique, B9
- Hydrolysis
 - modelling of a fluidized bed immobilized enzyme reactor. Application to the hydrolysis of maltodextrins, B25
- Ion-exchange
 - intraparticle ion-exchange mass transfer in ternary systems: theoretical analysis of concentration profiles, 55
- Jet pump
 - analysis of mixing characteristics of flow in a jet pump using a finite-difference method, 97
- Kinetics
 - a comparison of kinetic data interpretation methods: thermal oxidation of *n*-octane in liquid phase, 47
 - kinetics of methyl tertiary butyl ether synthesis catalyzed by sulphuric acid, 169
 - modeling kinetics of 2,4-D degradation by two new *Pseudomonas* isolates, B37
- Longitudinal mixing
 - analysis of extractor performance. III. Longitudinal mixing in the dispersed phase, 69
- Maltodextrins
 - modelling of a fluidized bed immobilized enzyme reactor. Application to the hydrolysis of maltodextrins, B25
- Mass transfer
 - analysis of extractor performance. IV. Mass transfer, 79
 - intraparticle ion-exchange mass transfer in ternary systems: theoretical analysis of concentration profiles, 55
 - mass transfer coefficients in two-phase aqueous extraction, B1
- Methyl methacrylate
 - batch solution polymerization of methyl methacrylate: parameter estimation, 175
- Mixing
 - analysis of extractor performance. 1. Longitudinal mixing in a single-phase system, 1
 - analysis of extractor performance. II. Longitudinal mixing of the continuous liquid in the two-phase system, 11
 - analysis of mixing characteristic of flow in a jet pump using a finite-difference method, 97
 - fluid mixing between channel stream and trough in which a density interface exists, 125
 - liquid-phase mixing and power consumption in mechanically agitated solid-liquid contractors, 111
- Multiplicity
 - on steady state multiplicity in bubble column reactors, 191
- n*-Octane
 - a comparison of kinetic data interpretation methods: thermal oxidation of *n*-octane in liquid phase, 47
- Non-newtonian fluids
 - gas holdup behaviour in fermentation broths and other non-newtonian fluids in pneumatically agitated reactors, B31
- Plate efficiency
 - plate efficiency in the process of absorption with chemical reaction — experiments and example calculations, 37
 - plate efficiency in the process of absorption with chemical reaction — general relations, 27
- Pollutants
 - fluidized bed adsorption of pollutants onto activated carbon, 87
- Polymerization
 - batch solution polymerization of methyl methacrylate: parameter estimation, 175
- Power consumption
 - liquid-phase mixing and power consumption in mechanically agitated solid-liquid contractors, 111
- Pseudomonas*
 - modeling kinetics of 2,4-D degradation by two new *Pseudomonas* isolates, B37
- Reynolds numbers
 - terminal velocity of a contaminated drop at low Reynolds numbers, 185
- Solvent extractions
 - solvent extraction of alkali metals by crown ethers, 157
- Steam reforming
 - effect of geometric characteristics of commercial catalysts for steam reforming, 147
- Sulphuric acid
 - kinetics of methyl tertiary butyl ether synthesis catalyzed by sulphuric acid, 169
- Thermal oxidation
 - a comparison of kinetic data interpretation methods: thermal oxidation of *n*-octane in liquid phase, 47

Trough

fluid mixing between channel stream and trough
in which a density interface exists, 125

Variance

on the variance of a sample from a binary mixture,
129

Velocity

terminal velocity of a contaminated drop at low

Reynolds numbers, 185

Virial coefficients

enthalpic second virial coefficients and enthalpies
of solution of alkanols as solutes in alkanols as
solvents, 63

Wall effects

wall effects in gas-fluidized beds at incipient
fluidization, 133

